

GMC Utilities Group Ltd, GMC House, Millenium Business Park, Cappagh Road,

Ballycoolin, Dublin 11, Ireland.

Tel: +353 (0)1 864 9800

Email: info@gmcirl.com

# TRAFFIC MANAGEMENT PLAN


# **PROJECT**

3795692 IW CDS New Connection

## **LOCATION**

Barretstown Road Newbridge Kildare







### SITE SPECIFIC NOTES

- 1. Traffic Management to comply with Temporary Traffic Management 2019 publications Chapter 8
  Traffic Signs Manual, Design Guidance & Operation
- 2. Road closure, diversion routes provided.
- On single carriageway roads of 80 km/h signs to be placed at 120m intervals. Additional signage may be used where deemed necessary.(Type A & B)
- 4. Work Area to be barriered at all times.
- TMP is based on information received at time of design,minor changes may be required on site.


  Major changes to site works will require revised TMP.
- 6. Below signage to be used where required.....











WORK/PLANT AREA
SAFETY AREA
SITE BARRIER
CONES
SIGN LOCATION & ORIENTATION
BARRIER BOARD



	Design Parameters for Level 2 (i) (Single Carriageway 80 km/h)	
Design Parameters	Roadworks Type A (>12 Hours)	
	Temporary Signs	
Sign Size (mm)	600 Min	
Sign Visibility (m)	90	
Number of Signs	4	
Cumulative Distance (m)	480	
Distance between advance signs (m)	120	
Minimum Rate of Taper		
Taper at Lane (m) <sup>A</sup>	1 in 40	
Hard Shoulder <sup>A</sup> Taper Rate (m)	1 in 40	
Maximum Cone Spacing		
Cone Height (mm)	750	
At Taper (m) <sup>8</sup>	3	
Longitudinal (m) <sup>8</sup>	12	
	Maximum Lamp Spacing	
At Taper (m)	6	
Longitudinal (m)	24	
Safety Zone		
Longitudinal (m)	45	
Lateral (m)	1.2	
	Lanes	

Note: A 45 degree taper is required at active temporary traffic controlled layouts with cones at 1m centres. B. Cone spacing shown is the maximum permitted. Where geometry or any other site specific reason dictates the spacing shall be reduced accordingly C. The optimum lane width for all classes of vehicles is 3.3m. This may be reduced to a minimum of 3.0m. Below this, HGVs and buses must be marshalled past the works. The absolute minimum lane width, if only cars and light vehicles are present, is 2.5m. Refer to Chapter 8, Paragraphs 8.4.3.1 to 8.4.3.3.



GMC Utilities Group Ltd, GMC House, Millenium Business Park, Cappagh Road, Ballycoolin, Dublin 11, Ireland. Tel: +353 (0)1 864 9800 Email: info@gmcirl.com



Project ;	3795692 IW CDS New Connection		
Location ;	Barretstown Road Newbridge Kildare		
TM Method;	Road Closure - Detailed Site Layout		
Designer; AM	Drawn; AM	Approved; DG	
Date ;	02/07/2025		

Scale; NTS - USE FIGURED DIMENSIONS ONLY

TMP Guide Reference;

TMP-001

Dwg Number; GMC-TMP-22904-REV00

