





RELEVANT AREA 4 - CALCULATED LUX LEVELS  
ARE COMPLIANT TO CLASS P3 - EN13201-2015

**Key & Luminaire Data**

- Luminaire A on 5 mtr Column  
Luminaire A Faro 720 LED 500mA  
3000K 500mA 30W MF 0.90  
Efficacy 135  
Emission 23.28  
Emission 0.17  
Emission 10.83
- Luminaire B on 8 mtr Column  
Luminaire B Faro 20W Lamp  
10 LED 20W 3500MA 3000K MF 0.90  
Emission 10.83
- Luminaire C on 5 mtr Column  
Luminaire C Philips Townglow  
19W 3000K MF 0.90
- Photometric Centre

**PLANNING**

<b>6004</b>	DATE: 2021-10-06 DRAWN BY: DKP CHECKED BY: DKP SCALE: 1:500
<b>GROUND FLOOR</b>	PROJECT NAME: Sallins Park development plan CLIENT: Sallins, Co. Wick DESIGNER: DKP Partnership MUSIC CHAIRS CONSULTANT: Music Chairs Consult
<b>A1</b>	00 353 001 1 813 1980 info@dkppartnership.com

COMMENTS/NOTES	DATE	BY	REVISION
	201	214	2021-10-06
			<b>1#</b>