



ELEVATION 1-UNITS 1&2 1:100




FIRST FLOOR UNIT 2 1:100




SECTION BB UNITS 1&2 1:100




SECTION AA UNITS 1&2



ELEVATION 3-UNITS 1&2



ELEVATION 2 -UNITS 1&2



GROUND FLOOR UNITS 1&2 1:100




UNIT TYPE A&B UNITS 1&2

Unit Type A - 1 BED -2 PERSON

	IVIOQ
LIVING	24
BEDROOM	13
STORAGE	3
OPEN SPACE	1.
FLOOR AREA	

Unit Type B - 1 BED -2 PERSON

	Msq
LIVING	25
BEDROOM	12
STORAGE	3
OPEN SPACE	2
FLOOR AREA	54



EXTERNAL WALLS - selections tbc 1. Acrylic render finish.

2. Facing brick.

ROOF - selections tbc 3. Tiled pitched roof. Aluminium accessories

doors

EXTERNAL WINDOWS/DOORS - selections tbc 4. Triple glazed aluminium/timber frame windows. No opening sections in rear windows t mitigate noise. 5. Timber/composite doors. canopy over front entrance

GARDEN WALLS - selections tbc

6. Masonry render finish wall and capping. 7. Masonry wall and capping with metal railing inset as elevations. Exposed facing brick base, render finish above.

8. Street boundary metal railing.

9. Brick wall with concrete capping. 10. Galvanised steel framed gate with timer/recycled plastic timber effect cladding.

Refer to General Arrangement plans and elevations for locations and extents. All finishes to be in line with Housing (2019).

Site Services

Foul water drainage main connection and final inspection chamber (FIC)

Surface water drainage main connection and inspection chamber (SIC)

NOTE:
Site wide services as per Engineer's design and specification. Shown indicatively only. Please refer to Engineer's latest information for exact locations and types.

PART 8

 This drawing has been prepared for PART 8 only All drawings to be read in conjunction with all other consultant drawings, Architect to be informed immediately of any discrepancies

 Figured dimensions only to be taken from this drawing. All dimensions and levels to be checked on site, Architect to be informed immediately of any discrepancies

REVISION

REV	NOTES
P2	Draft issue to acoustician
P3	Draft issued for information
P4	STAGE 2 Issue
P5	STAGE 2 revised

Kildare County Council, Architectural Services Section,

Devoy Park, Naas. Co. Kildare

Project: Proposed 15 no. Social Houses at St. Evins Park Monasterevin Co. Kildare.

Client:

Annette Aspell, Director of Housing

Prepared By: Capital Housing Team, Architectural Services Section, Housing Department, Kildare County Council

A/Senior Architect: Paddy Henderson, MRIAI Exec. Architect: Aleksandra Dutczak, MRIAI Exec. Technician: David Boyle.

Dwg: UNIT TYPE A&B 1 & 2


Scale As indicated@A1

Project No: 19-049 Dwg No: P8-07


DATE 19/07/23 21/07/23

Drawn By Checked By PJH DB


04/04/2024 14:31:10



ELEVATION 1 UNIT TYPE C1




FIRST FLOOR UNIT TYPE C1 1:100




GROUND FLOOR UNIT TYPE C1 1:100




SECTION CC UNIT TYPE C1



SECTION AA UNIT TYPE C1



2 ELEVATION 2 UNIT TYPE C1




SECTION BB- UNIT TYPE C1



UNIT TYPE C1 UNITS 4,6,10&12

Unit Type C1 - 2 BED - 4 PERSON

	Msq
LIVING	30.5
BEROOM	14.1 + 11.5 = 25.6
STORAGE	7.7
OPEN SPACE	122
FLOOR AREA	91



EXTERNAL WALLS - selections tbc 1. Acrylic render finish. 2. Facing brick.

ROOF - selections tbc
3. Tiled pitched roof. Aluminium accessories

EXTERNAL WINDOWS/DOORS - selections tbc4. Triple glazed aluminium/timber frame windows. No

opening sections in rear windows t mitigate noise. 5. Timber/composite doors. canopy over front entrance

GARDEN WALLS - selections tbc 6. Masonry render finish wall and capping.

Masonry wall and capping with metal railing inset as elevations. Exposed facing brick base, render finish above.

8. Street boundary metal railing.

Offeet bothdary metal railing.
 Brick wall with concrete capping.
 Galvanised steel framed gate with timer/recycled plastic timber effect cladding.

Refer to General Arrangement plans and elevations for locations and extents. All finishes to be in line with Employer's Requirements for Detail Design of Quality Housing (2019).





This drawing has been prepared for PART 8 only All drawings to be read in conjunction with all other consultant drawings, Architect to be informed immediately

of any discrepancies
Figured dimensions only to be taken from this drawing. All dimensions and levels to be checked on site, Architect to be informed immediately of any discrepancies

REVISION

Kildare County Council, Architectural Services Section, Devoy Park, Naas, Co. Kildare

Project:

Proposed 15 no. Social Houses at St. Evins Park Monasterevin Co. Kildare.

Annette Aspell, Director of Housing

Prepared By: Capital Housing Team, Architectural Services Section,

Housing Department,
Kildare County Council

A/Senior Architect: Paddy Henderson, MRIAI

Exec. Architect: Aleksandra Dutczak, MRIAI Exec. Technician: David Boyle.

Project No: Dwg: 19-049 UNIT TYPE C1 3,9 & 13 Dwg No: Scale As indicated@A1 P8-08


Checked By Author

04/04/2024 14:31:14 Checker




FRONT ELEVATION -UNIT TYPE C2

1:100




FIRST FLOOR UNIT TYPE C2

1:100







C SECTION BB UNIT TYPE C2



B SECTION DD UNIT TYPE C2



2 REAR ELEVATION UNIT TYPE C2



SECTION CC UNIT TYPE C2




UNIT TYPE C2 UNITS 4,6,10 &12



Unit Type C2 - 2 BED - 4 PERSON

LIVING BEROOM 14.1 + 11.5 = 25.6 STORAGE OPEN SPACE 122 FLOOR AREA

Gross Internal Area 91m²



EXTERNAL WALLS - selections tbc

1. Acrylic render finish. 2. Facing brick.

ROOF - selections tbc
3. Tiled pitched roof. Aluminium accessories

EXTERNAL WINDOWS/DOORS - selections tbc4. Triple glazed aluminium/timber frame windows. No

opening sections in rear windows t mitigate noise. 5. Timber/composite doors. canopy over front entrance

GARDEN WALLS - selections tbc 6. Masonry render finish wall and capping.

Masonry wall and capping with metal railing inset as elevations. Exposed facing brick base, render finish above.

8. Street boundary metal railing.

9. Brick wall with concrete capping. Galvanised steel framed gate with timer/recycled plastic timber effect cladding.

Refer to General Arrangement plans and elevations for locations and extents. All finishes to be in line with Employer's Requirements for Detail Design of Quality Housing (2019).

Site Services

Foul water drainage main connection and final inspection chamber (FIC)

NOTE:
Site wide services as per Engineer's design and specification. Shown indicatively only. Please refer to Engineer's latest information for exact locations and types.

Surface water drainage main connection and inspection chamber (SIC)

DATE 19/07/23 21/07/23 08/11/23 20/12/23



This drawing has been prepared for PART 8 only
All drawings to be read in conjunction with all other
consultant drawings, Architect to be informed immediately of any discrepancies

Figured dimensions only to be taken from this drawing. All dimensions and levels to be checked on site, Architect to be informed immediately of any discrepancies

REVISION

REV	NOTES
P2	Draft issue to acoustician
	Draft issued for information
P4	STAGE 2 Issue

P5 STAGE 2 revised Kildare County Council, Architectural Services Section,

Devoy Park, Naas, Co. Kildare

Project:

Proposed 15 no. Social Houses at St. Evins Park Monasterevin Co. Kildare.

Annette Aspell, Director of Housing

Prepared By: Capital Housing Team, Architectural Services Section,

Housing Department, Kildare County Council A/Senior Architect: Paddy Henderson, MRIAI Exec. Architect: Aleksandra Dutczak, MRIAI

Project No: Dwg: 19-049 UNIT TYPE C2 4,6,10 &12 Dwg No: Scale As indicated@A1 P8-09


Checked By

Exec. Technician: David Boyle.


04/04/2024 14:31:16



ELEVATION 1 UNIT TYPE D1




FIRST FLOOR UNIT TYPE D1 1:100




GROUND FLOOR UNIT TYPE D1 1:100




C SECTION CC - UNIT TYPE D1



SECTION AA-UNIT TYPE D1



2 ELEVATION 2 UNIT TYPE D1




SECTION BB- UNIT TYPE D1



UNIT TYPE C2 UNITS 5&11

Unit Type D1 - 3 BED - 5 PERSON

	Msq
LIVING	34
BEROOM	13.1 +11.5+9.0 = 36.1
STORAGE	10.0
OPEN SPACE	122
FLOOR AREA	102



EXTERNAL WALLS - selections tbc1. Acrylic render finish. 2. Facing brick.

ROOF - selections tbc
3. Tiled pitched roof. Aluminium accessories

EXTERNAL WINDOWS/DOORS - selections tbc4. Triple glazed aluminium/timber frame windows. No

opening sections in rear windows t mitigate noise. 5. Timber/composite doors. canopy over front entrance

GARDEN WALLS - selections tbc

6. Masonry render finish wall and capping. Masonry wall and capping with metal railing inset as elevations. Exposed facing brick base, render finish above.

8. Street boundary metal railing.

9. Brick wall with concrete capping. Galvanised steel framed gate with timer/recycled plastic timber effect cladding.

Refer to General Arrangement plans and elevations for locations and extents. All finishes to be in line with Employer's Requirements for Detail Design of Quality Housing (2019).





This drawing has been prepared for PART 8 only All drawings to be read in conjunction with all other consultant drawings, Architect to be informed immediately

of any discrepancies
Figured dimensions only to be taken from this drawing. All dimensions and levels to be checked on site, Architect to be informed immediately of any discrepancies

REVISION REV NOTES

Kildare County Council, Architectural Services Section, Devoy Park, Naas, Co. Kildare

Project:

Proposed 15 no. Social Houses at St. Evins Park Monasterevin Co. Kildare.

Annette Aspell, Director of Housing

Exec. Technician: David Boyle.

Prepared By: Capital Housing Team, Architectural Services Section,

Housing Department,
Kildare County Council

A/Senior Architect: Paddy Henderson, MRIAI

Exec. Architect: Aleksandra Dutczak, MRIAI

Dwg: **UNIT TYPE D1 5 & 11**

Scale As indicated@A1


Project No: 19-049 Dwg No: P8-10

Checked By Author


04/04/2024 14:31:19 Checker



FRONT ELEVATION - UNIT TYPE D2




FIRST FLOOR UNIT TYPE D2




GROUND FLOOR UNIT TYPE D2




SECTION CC UNIT TYPE D2 1:100



SECTION BB - UNIT TYPE D2 1:100



REAR ELEVATION - UNIT TYPE D2



SECTION AA - UNIT TYPE D2 1:100



UNIT TYPE C2 UNIT 8


Unit Type D2 - 3 BED - 5 PERSON

102

	Msq
LIVING	34
BEROOM	13.1 +11.5+9.0 = 36.1
STORAGE	10.0
OPEN SPACE	122
•	

FLOOR AREA

108.9m² **Gross Internal Area**



EXTERNAL WALLS - selections tbc 1. Acrylic render finish.

2. Facing brick.

ROOF - selections tbc3. Tiled pitched roof. Aluminium accessories

EXTERNAL WINDOWS/DOORS - selections tbc4. Triple glazed aluminium/timber frame windows. No

opening sections in rear windows t mitigate noise. 5. Timber/composite doors. canopy over front entrance

GARDEN WALLS - selections tbc 6. Masonry render finish wall and capping.

Masonry wall and capping with metal railing inset as elevations. Exposed facing brick base, render finish above.

8. Street boundary metal railing.

9. Brick wall with concrete capping. Galvanised steel framed gate with timer/recycled plastic timber effect cladding.

Refer to General Arrangement plans and elevations for locations and extents. All finishes to be in line with Employer's Requirements for Detail Design of Quality Housing (2019).

Site Services

Foul water drainage main connection and final inspection chamber (FIC)

 Surface water drainage main connection and inspection chamber (SIC) NOTE:
Site wide services as per Engineer's design and specification. Shown indicatively only. Please refer to Engineer's latest information for exact locations and types.

Project No:

19-049

Dwg No:



This drawing has been prepared for PART 8 only
All drawings to be read in conjunction with all other
consultant drawings, Architect to be informed immediately

of any discrepancies Figured dimensions only to be taken from this drawing. All dimensions and levels to be checked on site, Architect to be informed immediately of any discrepancies

DEVISION

	REVISION		
	REV	NOTES	DATE
	P2	Draft issue to acoustician	19/07/23
	P3	Draft issued for information	21/07/23
	P4	STAGE 2 Issue	08/11/23
_	P5	STAGE 2 revised	20/12/23

Kildare County Council, Architectural Services Section, Devoy Park,

Naas, Co. Kildare

Project:

Proposed 15 no. Social Houses at St. Evins Park Monasterevin Co. Kildare.

Annette Aspell, Director of Housing

Prepared By: Capital Housing Team, Architectural Services Section,

Housing Department, Kildare County Council A/Senior Architect: Paddy Henderson, MRIAI Exec. Architect: Aleksandra Dutczak, MRIAI


Exec. Technician: David Boyle.

Dwg: **UNIT TYPE D2 8**

Scale As indicated@A1 P8-11

Drawn By Checked By 04/04/2024 14:31:23


DB




FRONT ELEVATION - UNIT TYPE E




C SECTION CC- UNIT TYPE E



2 REAR ELEVATION - UNIT TYPE E




FIRST FLOOR UNIT TYPE E 1:100



SECTION BB UNIT TYPE E



SECTION AA UNIT TYPE E




GROUND FLOOR UNIT TYPE E 1:100



UNIT TYPE E UNIT 7

Unit Type E - 3 BED - 5 PERSON SPECIFIC ACCESSIBLE UNIT

	Msq
LIVING	34.4
BEROOM	13.1 +13.6+8.3 = 36.3
STORAGE	9.3
OPEN SPACE	113
FLOOR AREA	112.5



EXTERNAL WALLS - selections tbc 1. Acrylic render finish.

2. Facing brick.

ROOF - selections tbc3. Tiled pitched roof. Aluminium accessories

EXTERNAL WINDOWS/DOORS - selections tbc4. Triple glazed aluminium/timber frame windows. No

opening sections in rear windows t mitigate noise. 5. Timber/composite doors. canopy over front entrance

GARDEN WALLS - selections tbc 6. Masonry render finish wall and capping.

7. Masonry wall and capping with metal railing inset as elevations. Exposed facing brick base, render finish above.

8. Street boundary metal railing.

9. Brick wall with concrete capping. Galvanised steel framed gate with timer/recycled plastic timber effect cladding.

Refer to General Arrangement plans and elevations for locations and extents. All finishes to be in line with

Employer's Requirements for Detail Design of Quality Housing (2019).

Site Services

Foul water drainage main connection and final inspection chamber (FIC)

Surface water drainage main connection and inspection chamber (SIC)

NOTE:
Site wide services as per Engineer's design and specification. Shown indicatively only. Please refer to Engineer's latest information for exact locations and types.



This drawing has been prepared for PART 8 only
All drawings to be read in conjunction with all other
consultant drawings, Architect to be informed immediately

of any discrepancies
Figured dimensions only to be taken from this drawing. All dimensions and levels to be checked on site, Architect to be informed immediately of any discrepancies

REVISION	
OTES	DATE
raft issue to acoustician	19/07/23
raft issued for information	21/07/23
TAGE 2 Issue	08/11/23
	OTES aft issue to acoustician aft issued for information

Kildare County Council, Architectural Services Section,

Devoy Park, Naas, Co. Kildare

Project:

Proposed 15 no. Social Houses at St. Evins Park Monasterevin Co. Kildare.

Annette Aspell, Director of Housing

Prepared By: Capital Housing Team, Architectural Services Section,

Housing Department,
Kildare County Council


A/Senior Architect: Paddy Henderson, MRIAI

Exec. Architect: Aleksandra Dutczak, MRIAI Exec. Technician: David Boyle.


Project No: Dwg: 19-049 **UNIT TYPE E 7** Dwg No: Scale As indicated@A1 P8-12

Drawn By Checked By


DB 04/04/2024 14:31:26



5 FRONT ELEVATION - UNIT F&G




FIRST FLOOR UNIT TYPE F&G 1:100




GROUND FLOOR UNIT TYPE F&G 1:100




SECTION BB UNIT TYPE F&G



SECTION BB - UNIT F&G



2 REAR ELEVATION - UNIT TYPE F&G



SECTION AA - UNIT F&G



UNIT TYPE F&G UNITS 14&15

Unit Type F - 1 BED -2 PERSON


24.8
13.1
3.5
126

FLOOR AREA

Unit Type G - 1 BED -2 PERSON

50

	Msq
LIVING	25.8
BEROOM	12.3
STORAGE	3.1
OPEN SPACE	63
FLOOR AREA	54.5



EXTERNAL WALLS - selections tbc 1. Acrylic render finish.

2. Facing brick.

ROOF - selections tbc3. Tiled pitched roof. Aluminium accessories

EXTERNAL WINDOWS/DOORS - selections tbc4. Triple glazed aluminium/timber frame windows. No opening sections in rear windows t mitigate noise.

5. Timber/composite doors. canopy over front entrance

GARDEN WALLS - selections tbc 6. Masonry render finish wall and capping. Masonry wall and capping with metal railing inset as elevations. Exposed facing brick base, render

finish above.

8. Street boundary metal railing. 9. Brick wall with concrete capping.

Galvanised steel framed gate with timer/recycled plastic timber effect cladding.

Refer to General Arrangement plans and elevations for locations and extents. All finishes to be in line with Employer's Requirements for Detail Design of Quality Housing (2019).

Site Services

Foul water drainage main connection and final inspection chamber (FIC)

Surface water drainage main connection and inspection chamber (SIC)

NOTE:
Site wide services as per Engineer's design and specification. Shown indicatively only. Please refer to Engineer's latest information for exact locations and types.

PART 8

This drawing has been prepared for PART 8 only
All drawings to be read in conjunction with all other
consultant drawings, Architect to be informed immediately

of any discrepancies Figured dimensions only to be taken from this drawing. All dimensions and levels to be checked on site, Architect to be informed immediately of any discrepancies

REVISION

KLYIOION		
REV	NOTES	DATE
P2	Draft issue to acoustician	19/07/23
P3	Draft issued for information	21/07/23
P4	STAGE 2 Issue	08/11/23

Kildare County Council, Architectural Services Section, Devoy Park,

Naas, Co. Kildare

Project: Proposed 15 no. Social Houses at St. Evins Park Monasterevin Co. Kildare.

Dwg:

Annette Aspell, Director of Housing

Prepared By: Capital Housing Team, Architectural Services Section,

Housing Department,
Kildare County Council

A/Senior Architect: Paddy Henderson, MRIAI

Exec. Architect: Aleksandra Dutczak, MRIAI Exec. Technician: David Boyle.

Project No: 19-049 UNIT TYPE F&G 14&15 Dwg No: Scale As indicated@A1 P8-13

Drawn By Checked By 04/04/2024 14:31:29