

0

Scale: 1/20@A1

07 TYPICAL TREE PIT IN HARDSCAPE

Scale 1:20@A1



PROJECT

The Wonderful Barn Development

CLIENT

Kildare County Council

CONSULTANT

AECOM Ireland Limited 24 Lower Hatch Street Dublin 2. D02 TY88 01 676 3671 tel www.aecom.com/ie

NOTES

- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS, ANY DISCREPANCIES, ERRORS OR OMISSIONS TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
- ALL DIMENSIONS TO BE CHECKED BY THE CONTRACTOR ON SITE PRIOR TO COMMENCEMENT OF WORKS. AECOM LIMITED TO BE INFORMED BY THE CONTRACTOR
- OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORKS ON SITE.
- DIMENSIONS OF ALL BOUNDARIES AND ADJOINING ROADS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS.
- FOR GENERAL NOTES & LEGENDS REFER TO DRAWING STG-AEC-00-00-DR-L-000001.

450mm OPENING FILLED WITH ARBORESIN

SF-06: 1200mmx1200mm TREE GRILLE WITH INSET PAVING TO MATCH FOOTPATH

FOR PAVING & BUILD UP REFER TO RESIN BOUND GRAVEL DETAIL ON 7000 SERIES NETTING LAID OVER MODULAR ANTI-COMPACTION CELLS

COMPACTED SUB BASE REFER TO ENGINEERS DETAILS

ROOT BARRIER TO BE PLACED ALONGSIDE ANY TREE PIT/OR TRENCH WITHIN 3m OF SERVICES AS PER MANUFACTURERS RECOMMENDATIONS.

DRAINAGE LAYER - 100mm DEPTH OF CLEAN ANGULAR STONE

STRAPPED ANCHOR SYSTEM WITH DEADMAN ANCHOR TO BASE OF TREE PIT

ISSUE/REVISION

-	07/06/24	ISSUE FOR PART 8
I/R	DATE	DESCRIPTION
SCALE		

1:20

PROJECT NUMBER 60689541

SHEET TITLE LANDSCAPE DETAILS

SHEET NUMBER

60689541-AEC-XX-00-00-DR-L-7000